Z10: Specifications

Print Datasheet

| _ | | | |
|-----|-----|-------|--|
| Spe | CID | litio | |
| | | | |

| Products | Espresso 2 x Espresso Cold Brew Espresso Coffee 2 x Coffee Cold Brew Coffee Cappuccino Cold Brew Cappuccino Cappuccino Extra Shot Caffè latte Cold Brew Caffè latte Cold Brew Caffè latte Caffè latte Extra Shot Caffè Barista 2 x Caffè Barista Americano 2 x Americano Espresso doppio Macchiato Cold Brew Macchiato Cold Brew Cortado Latte macchiato Cold Brew Latte macchiato Latte macchiato Extra Shot Flat white Cold Brew Flat white Flat White Extra Shot Portion of milk Pot of coffee Hot water Hot water for green tea |
|---|---|
| Number of speciality coffees | 32 |
| Specific advantages | |
| Cold Extraction Process | ✓ |
| Intelligent preheating | ✓ |
| 3D brewing technology | ✓ |
| Automatic Grinder Adjustment (A.G.A.) | ✓ |
| Active bean monitoring | ✓ |
| Automatic switchover from milk to milk foam | ✓ |
| Smart mode | ✓ |

| JURA Cockpit with maintenance status display | ✓ |
|---|--------------------------------------|
| WiFi connection to home network | ✓ |
| Transmitter supplied as standard | WiFi Connect |
| JURA standards | |
| Pulse Extraction Process (P.E.P.®) | ✓ |
| One-Touch Lungo function | ✓ |
| One-Touch function | ✓ |
| Variable brewing unit | 5 - 16 g |
| Grinder | Product Recognizing Grinder (P.R.G.) |
| Thermoblock heating system | 1 |
| Milk system / interchangeable milk spout | HP3 |
| Powder chute for ground coffee | ✓ |
| Aroma preservation cover | ✓ |
| Operating and programming standards | |
| Compatible with J.O.E.® | ✓ |
| Rotary Switch | ✓ |
| Display | 4.3" Touchscreen color display |
| Save, copy and personalise products | ✓ |
| Programmable and individually adjustable amount of water | ✓ |
| Programmable and individually adjustable coffee strength (Levels) | 10 |
| Programmable amount of milk / milk foam | ✓ |
| Programmable milk / milk foam temperature (Levels) | 10 |
| | |
| Programmable brewing temperature (Levels) | 3 |

| Intelligent Water System (I.W.S.) | ✓ |
|---|--|
| CLARIS filter cartridge | CLEARYL Smart |
| One-Touch milk system cleaning (automatic) | ✓ |
| Integrated rinsing, cleaning and descaling programme | ✓ |
| Monitored drip tray | ✓ |
| JURA hygiene: TÜV-certified | ✓ |
| Energy standards | |
| Energy Save Mode (E.S.M.©) | ✓ |
| Zero-Energy Switch or power switch | ✓ |
| Programmable switch-off time | ✓ |
| Design and materials | |
| Convex-concave 3 mm aluminium front | ✓ |
| Amber / white cup illumination | ✓ |
| Water tank illumination blue | ✓ |
| | |
| In figures | |
| In figures Height–adjustable / width–adjustable dual spout | 3 – 5.9 in / 0.9 – 2 in |
| | 3 – 5.9 in / 0.9 – 2 in 80.3 oz |
| Height-adjustable / width-adjustable dual spout | |
| Height-adjustable / width-adjustable dual spout Water tank capacity | 80.3 oz |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity | 80.3 oz 9.9 oz |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity Coffee grounds container (approx. servings) | 9.9 oz 20 |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity Coffee grounds container (approx. servings) Cable length (approx.) | 80.3 oz 9.9 oz 20 3.6 feet |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity Coffee grounds container (approx. servings) Cable length (approx.) Voltage / Power | 80.3 oz 9.9 oz 20 3.6 feet 120 V~ / 1450 W |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity Coffee grounds container (approx. servings) Cable length (approx.) Voltage / Power Ampacity | 80.3 oz 9.9 oz 20 3.6 feet 120 V~ / 1450 W 10 amp |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity Coffee grounds container (approx. servings) Cable length (approx.) Voltage / Power Ampacity Stand-by power | 80.3 oz 9.9 oz 20 3.6 feet 120 V~ / 1450 W 10 amp 0 Wh |
| Height-adjustable / width-adjustable dual spout Water tank capacity Bean container holding capacity Coffee grounds container (approx. servings) Cable length (approx.) Voltage / Power Ampacity Stand-by power Weight | 80.3 oz 9.9 oz 20 3.6 feet 120 V~ / 1450 W 10 amp 0 Wh 27.1 lbs |

| Product code | Aluminum White (NAA) |
|--------------|----------------------|
| Width | 12.6 inches |
| Height | 15 inches |
| Depth | 17.7 inches |